

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	0	(docking adj station and co?processor and PDA) and @pd<"20020201"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/14 18:17
L2	120	cradle and PDA and @pd<"20020201"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/14 18:17
L3	25	(cradle and PDA and @pd<"20020201") and peripheral	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/14 18:17
L4	4	((cradle and PDA and @pd<"20020201") and peripheral) and docking adj station	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/14 18:17
L5	533	palm and docking adj station	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/14 18:17
L6	158	(palm and docking adj station) and @pd<"20020201"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/14 18:17
L7	21	((palm and docking adj station) and @pd<"20020201") and cradle	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/14 18:17
L8	0	pda adj docking adj station adj keyboard	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/14 18:17
L9	11	docking adj station adj keyboard	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/14 18:17

L10	22	port adj replicator and pda	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/14 18:17
L11	36	port adj replicator and palm	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/14 18:17
L12	3	(port adj replicator and pda) and @pd<"20020201"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/14 18:17
L13	4	(port adj replicator and palm) and @pd<"20020201"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/14 18:17
L18	1	pda near (peripheral adj interface)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/14 18:17
L19	71	palm adj computing adj device	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/14 18:17
L20	5	(palm adj computing adj device) and @pd<"20020201"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/14 18:17
L21	7	pda adj accessories	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/14 18:17
L22	4	pda adj dock\$4 adj station and @pd<"20020201"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/14 18:17
L23	0	palm adj dock\$4 adj station and @pd<"20020201"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/14 18:17

L24	50	pda adj peripheral	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/14 18:17
L25	4	pda adj peripheral and @pd<"20020201"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/14 18:17
L26	0	pda adj I?O adj expansion	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/14 18:17
L27	0	pda near I?O adj expansion	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/14 18:17
L28	0	pda near (I?O adj expansion)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/14 18:17
L30	1828	docking adj station and processor	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/14 18:17
L31	1828	docking adj station and processor and (docking adj station and processor)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/14 18:17
L32	428	(docking adj station and processor) and pda	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/14 18:17
L33	25	((docking adj station and processor) and pda) and @pd<"20010201"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/14 18:17
L38	0	20020103951A1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/14 18:17

L40	0	(top-level adj driver and low-level adj driver) and @ad<"20020201"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/14 18:17
L41	1	top-level adj driver and low-level adj driver	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/14 18:17
L42	3669	device adj driver and operating adj systems	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/14 18:17
L43	106	(device adj driver and operating adj systems) and docking adj station	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/14 18:17
L44	84	((device adj driver and operating adj systems) and docking adj station) and @ad<"20020201"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/14 18:17
L45	0	((((device adj driver and operating adj systems) and docking adj station) and @ad<"20020201") and communication adj driver	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/14 18:17
L46	8	((((device adj driver and operating adj systems) and docking adj station) and @ad<"20020201") and handheld	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/14 18:17
L47	0	top-level adj driver and low-level adj driver and 710/8,62,64,72.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/14 18:17
L48	1060	709/200.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/14 18:17
L49	9492	709/200,201,202,203,204,205.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/14 18:17

L50	7110	L49 and @ad<"20020201"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/14 18:17
L51	605	L50 and pda	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/14 18:17
L52	382	L51 and personal adj digital adj assistant	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/14 18:17
L53	264	L52 and processor	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/14 18:17
L54	0	L53 and pda.ti.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/14 18:17
L55	9	L51 and docking adj station	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/14 18:17
L56	0	JP09006501A	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/14 18:17
L57	2	"09006501"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/14 18:17
L60	12	docking adj station and co?processor and PDA	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/14 18:17
L61	0	(docking adj station and co?processor and PDA) and @pd<"20020201"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/14 18:17

L62	120	cradle and PDA and @pd<"20020201"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/14 18:17
L63	25	(cradle and PDA and @pd<"20020201") and peripheral	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/14 18:17
L64	533	palm and docking adj station	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/14 18:17
L65	158	(palm and docking adj station) and @pd<"20020201"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/14 18:17
L66	0	pda adj docking adj station adj keyboard	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/14 18:17
L67	22	port adj replicator and pda	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/14 18:18
L68	36	port adj replicator and palm	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/14 18:18
L70	71	palm adj computing adj device	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/14 18:18
L71	0	palm adj dock\$4 adj station and @pd<"20020201"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/14 18:18
L72	50	pda adj peripheral	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/14 18:18

L73	0	pda adj I?O adj expansion	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/14 18:18
L74	0	pda near I?O adj expansion	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/14 18:18
L75	0	pda near (I?O adj expansion)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/14 18:18
L76	1828	docking adj station and processor	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/14 18:18
L77	1828	docking adj station and processor and (docking adj station and processor)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/14 18:18
L78	428	(docking adj station and processor) and pda	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/14 18:18
L79	0	20020103951A1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/14 18:18
L80	0	(top-level adj driver and low-level adj driver) and @ad<"20020201"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/14 18:18
L81	3669	device adj driver and operating adj systems	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/14 18:18
L82	106	(device adj driver and operating adj systems) and docking adj station	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/14 18:18

L83	84	((device adj driver and operating adj systems) and docking adj station) and @ad<"20020201"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/14 18:18
L84	0	((((device adj driver and operating adj systems) and docking adj station) and @ad<"20020201") and communication adj driver	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/14 18:18
L85	0	top-level adj driver and low-level adj driver and 710/8,62,64,72. ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/14 18:18
L86	1060	709/200.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/14 18:18
L87	9492	709/200,201,202,203,204,205. ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/14 18:18
L88	7110	L87 and @ad<"20020201"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/14 18:18
L89	605	L88 and pda	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/14 18:18
L90	382	L89 and personal adj digital adj assistant	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/14 18:18
L91	264	L90 and processor	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/14 18:18
L92	0	L91 and pda.ti.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/14 18:18

L93	0	JP09006501A	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/14 18:18
L94	1	pda near (peripheral adj interface)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/14 18:18
L95	1	top-level adj driver and low-level adj driver	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/14 18:18
L96	4	((cradle and PDA and @pd<"20020201") and peripheral) and docking adj station	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/14 18:18
L97	21	((palm and docking adj station) and @pd<"20020201") and cradle	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/14 18:18
L98	11	docking adj station adj keyboard	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/14 18:18
L99	3	(port adj replicator and pda) and @pd<"20020201"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/14 18:18
L100	4	(port adj replicator and palm) and @pd<"20020201"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/14 18:18
L101	5	(palm adj computing adj device) and @pd<"20020201"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/14 18:18
L102	7	pda adj accessories	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/14 18:18

L103	4	pda adj dock\$4 adj station and @pd<"20020201"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/14 18:18
L104	4	pda adj peripheral and @pd<"20020201"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/14 18:18
L106	25	((docking adj station and processor) and pda) and @pd<"20010201"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/14 18:18
L107	8	((((device adj driver and operating adj systems) and docking adj station) and @ad<"20020201") and handheld	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/14 18:18
L108	9	L89 and docking adj station	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/14 18:18
L110	264	L90 and processor	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/14 18:18
L111	12	docking adj station and co?processor and PDA	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/14 18:18
L112	10255	huber.inv.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/14 18:18
L113	62627	huber.inv. pda	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/14 18:18
L114	1	huber.inv. and pda and palm	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/14 18:18

L115	16	huber.inv. and pda	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/14 18:18
L116	182	Swanstrom.inv.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/14 18:18
L117	17	Swanstrom.inv. and docking	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/14 18:18